9200173

# THE UNIVERD SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Northrup King Co.

Concreas, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'S38-83'

In Lestimony Withercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 30th day of September in the year of our Lord one thousand nine hundred and ninety-four.

Allast

Lessett Hears

Plant Variety Protection Office

Agricultural Marketing Service

Cive Socretary of Agriculture

Public resorting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room AD4-W, Washington, D.C. 20250, D.C. 20250, and to the Office of Management and Budge; Paperwork Reduction Project (OMB #5081-0055), Washington, 20250.

U.S. DEPARTMENT OF A	AGRICULTURE		Application is required in order to
AGRICULTURAL MARKE			determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421).
APPLICATION FOR PLANT VARIET	_	N CERTIFICATE	Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	7646136)	2. TEMPORARY DESIGNATION OF	3. VARIETY NAME
Northrup King Co.		EXPERIMENTAL NO.	S38-83
P. O. Box 959 949	1994	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
P. O. Box 959 949		612-593-7333	PVPO NUMBER
Minneapolis, MN 55440		319-653-2181	9200173
washington, IA 52353			F Date
			apr 29, 1992
6 GENUS AND SPECIES NAME	7. FAMILY NAME (Botan	ical)	Time
Glycine max	Leguminosa	<b>;</b>	G A.M. P.M.
8 CROP KIND NAME (Common Name)	<u> </u>	DATE OF DETERMINATION	F Filing and Examination Fee:
		September, 1989	E s 2, 150.
Soybean	AUZATION (Corporation, pr		- R DAL 29, 1992
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA  Corporation	NIZATION (Corporation, pa	illiership, association, etc.)	E Certificate Fee:
	· · · · · · · · · · · · · · · · · · ·		E :250.00
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. 0	ATE OF INCORPORATION 1976	5 Sept.13, 1994
Delaware			5 Sept.13, 1999
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S). IF ANY, TO ROBERT W. Romig. John Thorne, P. Northrup King Co. P. O. Box 959 949  Minneapolis, MN-55440 Washingto  14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fo. a. X Exhibit A, Origin and Breeding History of the Variety b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Owners f. X Seed Sample (2,500 viable untreated seeds). Date See g. X Filing and Examination Fee (\$2,150) made payable to Protection Act.)  15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SPROTECTION Act.)  16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?  17. YES X NO  18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE NOTES.  18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE NOTES.  19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR	thip. d Sample mailed to Plant "Treasurer of the United GOLD BY VARIETY NAME ON STO 17. IF "YES"  ARRIETY IN THE U.S.?	PHONE (Include area erse)  Variety Protection Office	
YES (II "YES," give names of countries and dates)  NO  20. The applicant(s) declare(s) that a viable sample of basic sequest in accordance with such regulations as may be ap	seeds of this variety w	ill be furnished with the applic	
The undersigned applicant(s) is (are) the owner(s) of the uniform, and stable as required in section 41, and is entity Applicant(s) is (are) informed that false representation here.	led to protection under	tne provisions of section 42 of	the Flant Variety Liberton
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY O		DATE
Mober W. Romes	Vice	President Research	April 27, 1992
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY C	R TITLE	DATE
			4

### Origin and Breeding History of the Variety

The soybean variety 'S38-83' is derived from the cross 'S44-77' x 'A3127'. The cross was made in February of 1984 by the Northrup King Co. soybean research staff at Waimea, Kauai, HI. generation was grown at the Northrup King Co. Research Center at St. Joseph, IL in the summer of 1984. The F2 and F3 generations were grown at Waimea in the winter of 1984-85, and the F4 at St. Joseph in the summer of 1985. The F2 and F3 generations were advanced by harvesting 2-4 seeds from each plant and planting a 600 seed sample from the bulk. In the fall of 1985 approximately 150 random F4 plants were harvested and threshed individually. progeny from these plants were grown in F5 progeny rows in the summer of 1986. One of these, numbered J604539, was selected on the basis of agronomic appearance to be tested in a preliminary yield trial in 1987. This line was subsequently tested under the temporary designation X9138 and named S38-83. It has been tested at several midwestern U.S. locations from 1988 to 1991 and found to yield well compared to other Maturity Group III cultivars. Descriptive traits including purple flowers, grey pubescence, tan pods, and imperfect black hilum have been identified and confirmed. S38-83 was tested in the field for iron-deficiency chlorosis at test sites in Northern Iowa by Iowa State University in 1991 and found to be susceptible. It has been tested for reaction to Races 3, 4, and 7 of Phytophthora megasperma using hypocotyl inoculation of greenhouse grown plants and found to have the Rps 1-C gene for resistance.

In the winter of 1988-89, 300 seeds of S38-83 were planted at Waimea. At harvest, 100 plants were harvested and threshed individually and their progeny planted at St. Joseph in the summer of 1989 to monitor variability and to produce Pedigree Seed. A few plants with white flowers or tawny pubescence were removed. These plants were assumed to have come from admixture or out-crossing. Uniform rows were bulked to produce Pedigree Seed. This seed was planted in 1990 to produce Breeder Seed. The increase block was rogued carefully during flowering and at maturity.

Foundation Seed of S38-83 was produced in 1991. The Iowa Crop Improvement Association inspected the field and found it to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved the variety for Certification on December 12, 1991.

S38-83 is a stable and uniform variety except for minor environmentally induced variation encountered in any soybean variety. In five years of testing and three years of seed increase, no other variants have been observed. Any off-type plants which were removed from increase fields were assumed to have arisen from admixture or outcrossing.

Varietal purity will be maintained using progeny rows as described above as needed.

#### EXHIBIT B

Novelty Statement for the Variety

Soybean variety S38-83 is most similar to Pioneer Brand 9391 and S42-30. It can be differentiated from these varieties on the basis of pubescence color. S38-83 has grey pubescence, while 9391 and S42-30 have tawny pubescence.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARY LAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	J604539, X9138	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code P. O. Box 959 Minneapolis, MN 55440 Attention R. W. Romig Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described l	PVPO NUMBER  9200173  Delow. When the number of significant digits then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:  2  1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	T 2 = Spherical Flattened ( 4 = Elongate Flattened (	(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Duil ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
5 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	<u> </u>	
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		•
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		$(x_{ij}, x_{ij}, x_{$
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons (' 'Coker Hampton 266A')	'Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

11. LEAFLET SIZE:				9	200173
1 = Small ('Amsoy 71'; 3 = Large ('Crawford';	*	2 = Medium ('Corsoy 79'; 'G	asoy 17°)		200173
12. LEAF COLOR:					
1 = Light Green ('Webe 3 = Dark Green ('Gnom		2 = Medium Green ('Corsoy	79'; 'Braxton')		
13. FLOWER COLOR:	: .			<del> </del>	•
2 1 = White	2 = Purple 3 = 1	White with purple throat			
14. POD COLOR:					
1 1 = Tan 2 =	≖ Brown 3 = Blad	ck			
15. PLANT PUBESCENCE COLOR	•				
1 = Gray 2 =	= Brown (Tawny)		·		
16. PLANT TYPES:					
1 = Siender ('Essex'; 'A 3 = Bushy ('Gnome'; 'G		2 = Intermediate ('Amcor'; '	Braxton')		
17. PLANT HABIT:					
3 1 = Determinate ('Gnor 3 = Indeterminate ('Nei	me'; 'Braxton') 2 bsoy'; 'Improved Pelican')	2 = Semi-Determinate ('Will'	)		
18. MATURITY GROUP:					
6 1 = 000 2 = 00 9 = VI 10 = V		4 = I 5 = II 6 12 = IX 13 = X	S = III	/ 8 = V	
19. DISEASE REACTION: (Enter (	) = Not Tested; 1 = Susceptib	ole; 2 = Resistant)			
BACTERIAL DISEASES:					
Bacterial Pustule (Xant.	homonas phaseoli var. sojensi	is)			
Bacterial Blight (Pseudo	omonas glycinea)				
Wildfire (Pseudomonas	tabaci)				
FUNGAL DISEASES:					
1 Brown Spot (Septoria g	lycines				
Frogeye Leaf Spot (Cer	cospora sojina)			. '	
Race 1 Ra	ce 2 Race 3	Race 4	Race 5	Other (Specify)	
Target Spot (Corynespo	ora cassiicola)				
1 Downy Mildew (Perono	spora trifoliorum var. mansh	urica)			
Powdery Mildew (Micro	osphaera diffusa)				
1 Brown Stem Rot (Ceph.	alosporium gregatum)			<	
Stem Canker (Diaporthe	e phaseolorum var. caulivora)	,			بر .

19. DISEASE REACTION	: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant) (Continued)	9200173
FUNGAL DISEASE	S: (Continued)		. , _ , _ , _ , _ , _ , _ , _ , _ , _ ,
1. Pod and Stem	Blight (Diaporthe phaseolorum var; sojae)		
1 Purple Seed S	tain (Cercospora kikuchii)		
Rhizoctonia f	Root Rot (Rhizoctonia solani)	•	
Phytophthora	Rot (Phytophthora megasperma var. sojae)	•	
2 Race 1	2 Race 2 2 Race 3 1	Race 4 Race 5	Race 6 2 Race 7
Race 8	Race 9 Other (Specify)		
VIRAL DISEASES:			
Bud Blight (T	obacco Ringspot Virus)		
	c (Bean Yellow Mosaic Virus)		
	ic (Cowpea Chlorotic Virus)		
	lean Pod Mottle Virus)		
	Soybean Mosaic Virus)		
NEMATODE DISEA			
	Nematode (Heterodera glycines)		
Race 1	Race 2 Race 3 1	Race 4 1 Other (S	pecify)
Lance Nemate	ode (Hoplolaimus Colombus)		
Southern Roo	t Knot Nematode (Meloidogyne incognita)		
Northern Roo	t Knot Nematode (Meloidogyne Hapla)		
Peanut Root I	Knot Nematode (Meloidogyne arenaria)		
Reniform Ner	natode ( <i>Rotylenchulus reniformis</i> )		
OTHER DISE	ASE NOT ON FORM (Specify):		
0. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)	
1 Iron Chiorosis	on Calcareous Soil		
Other (Specify	1		
1. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Res	sistant)	
Mexican Bean	Beetle (Epilachna varivestis)		
Potato Leaf H	opper (Empoasca fabae)		
Other (Specify	/)		
2. INDICATE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Pioneer Brand 9391	Seed Coat Luster	S44-77
L <sup>f</sup> eaf Shape	Fayette	Seed Size	9391
Leaf Color	9391	Seed Shape	S44-77
Leaf Size	9391	Seedling Pigmentation	S29-39
			6

VARIETY	DAYS L	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
				CM Width	CM Length	% Protein	% Oil	G/100 SEEDS	\$EEDS/ POD
Submitted	133	2.6	96	7.2	11.3	39.0	22.7	16.1	2-4
391 Name of Similar Variety	134	2.6	99	7.0	11.1	39.0	22.5	16.2	2-4

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

### Statement of the Basis of Applicant's Ownership

Soybean variety S38-83 was developed by the Northrup King Co. soybean breeding staff from germplasm sources cited in Exhibit B of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.